CONTENTS OF VOLUME 41

Adams, G. A. See Martin, S. M., 1605.
Akintobi, S. See Cole, K., 661.
Anastasiou, C. J. The genus *Zalerion* Moore & Meyers, 1135.
Arekal, G. D. Embryological studies in Canadian representatives of the tribe Rhinantheae, Scrophulariaceae, 267.
Baijal, U. See Mehrotra, B.S., 499.
Ballantyne, D. J. Respiration of azalea flower buds treated with low-temperature storage or gibberellic acid, 1547.
Bandoni, R. J. Conjugation in *Tremella mesenterica*, 467.
Bannan, M. W. Cambial behavior with reference to cell length and ring width in *Picea*, 811.
Tracheid size and rate of anticlinal division in the cambium of *Cupressus*, 1187.
Barker, W. G. and **Collins, W. B.** Growth and development of the lowbush blueberry: apical abortion, 1319.
The blueberry rhizome: in vitro culture, 1325.
Bayley, S. T. See King, N. J., 1141.
Bell, W. See Lee, P. E., 767.
Benedict, W. G. Diplophase activity of *Stemonitis fusca* Roth, 1639.
Bidwell, R. G. S. Pathways leading to the formation of amino acids and amides in leaves, 1623.
See also Hellebust, J. A., 969, 985.
Bidwell, R. G. S. and **Craigie, J. S.** A note on the greatly reduced ability of *Fucus vesiculosus* to absorb or evolve CO_2 when not submerged, 179.
Bidwell, R. G. S. and **Ghosh, N. R.** Photosynthesis and metabolism of marine algae. V. Respiration and metabolism of C^{14}-labelled glucose and organic acids supplied to *Fucus vesiculosus*, 155.
Photosynthesis and metabolism in marine algae. VI. The uptake and incorporation of S^{35}-sulphate in *Fucus vesiculosus*, 209.
Bier, J. E. and **Rowat, M. H.** Some inoculum and substrate factors in the cultural inhibition of *Hypoxylon pruinatum* (Klotzsche) Cke. by pyrocatechol, 1585.
Bloomberg, W. J. and **Farris, S. H.** *Cytospora* canker of poplars: bark wounding in relation to canker development, 303.
Bolton, A. T. A new species of *Marssonina* on strawberry, 237.
Bolton, J. L. See Fridriksson, S., 23, 439.
Bonga, J. M. See Clark, J., 165.
Bonga, J. M. and **Clark, J.** Chromatographic detection of seasonal changes in the location of indole-3-acetic acid in balsam fir, 1133.
Bray, J. R. Root production and the estimation of net productivity, 65.
Bray, J. R. and **Struik, G. J.** Forest growth and glacial chronology in Eastern British Columbia, and their relation to recent climatic trends, 1245.
Brewer, D. See Eveleigh, D. E., 1377.
Butler, L. Five genes located on chromosome 4 of the tomato, 1159.
Caponetti, J. D. and **Steeves, T. A.** Morphogenetic studies on excised leaves of *Osmunda cinnamomea* L. Morphological studies of leaf development in sterile nutrient culture, 545.
Cauchon, R. Influence of slant orientation on fruiting in cultures of Hymenomycetes, 1275.
Chelack, W. S. See Hagborg, W. A. F., 1.
Chiykowski, L. N. *Endria inimica* (Say), a new leafhopper vector of a celery-infecting strain of aster-yellows virus in barley and wheat, 669.
See also Lee, P. E., 311.
Chopra, N. M. See Hagborg, W. A. F., 1.
Clark, J. See Bonga, J. M., 1133.
Clark, J. and **Bonga, J. M.** Evidence for indole-3-acetic acid in balsam fir, *Abies balsamea* (L.) Mill., 165.
Clausen, K. E. Characteristics of a hybrid birch and its parent species, 441.
Cole, K. and **Akintobi, S.** The life cycle of *Prasiola meridionalis* Setchell and Gardner, 661.
Collins, W. B. See Barker, W. G., 1319, 1325.
Corlett, M. The developmental morphology of two species of *Microascus*, 253.
Coupland, R. T. See Raju, M. V. S., 579.
Craigie, J. S. Dark fixation of C^{14}-bicarbonate by marine algae, 317.
See also Bidwell, R. G. S., 179.
Croghan, P. C. See Dainty, J., 953.
Cumming, B. G. Evidence of a requirement for phytochrome-P_{fr} in the floral initiation of *Chenopodium rubrum*, 901.
The dependence of germination on photoperiod, light quality, and temperature, in *Chenopodium* spp., 1211.

Dainty, J. See Fensom, D. S., 685.
Dainty, J., Croghan, P. C., and **Fensom, D. S.** Electro-osmosis, with some applications to plant physiology, 953.
Darker, G. D. A new genus of the Lophiaceae, 1383.
A new genus of Phacidiaceae on *Picea mariana*, 1389.
Davidson, A. G. and **Etheridge, D. E.** Infection of balsam fir, *Abies balsamea* (L.) Mill., by *Stereum sanguinolentum* (Alb. and Schw. ex Fr.) Fr., 759.
Etheridge, D. E. See Davidson, A. G., 759.
Etheridge, D. E. and **Morin, L. A.** Colonization by decay fungi of living and dead stems of balsam fir following artificial injury, 1532.
Eveleigh, D. E. and **Brewer, D.** Studies on slime accumulations in pulp and paper mills. VI. Isolation of thermophilic and thermotolerant fungi from paper mills, 1377.
Farris, S. H. See Bloomberg, W. J., 303.
Fensom, D. S. The bioelectric potentials of plants and their functional significance. V. Some daily and seasonal changes in the electrical potential and resistance of living trees, 831.
See also Dainty, J., 953.
Fensom, D. S. and **Dainty, J.** Electro-osmosis in *Nitella*, 685.
Ferguson, W. E. See Yates, A. R., 1599.
Fisher, J. E. The effects of short days on fruitset as distinct from flower formation in soybeans, 871.
See also Friend, D. J. C., 1663.
Fleischmann, G. Studies on the wilt of peas caused by *Fusarium oxysporum* Schl. f. *pisi* (Linf.) S. & H., race 1, 1569.
The origin of a new physiologic race of crown rust virulent on the oat varieties Victoria and Saia, 1613.
Fleischmann, G., Samborski, D. J., and **Peturson, B.** The distribution and frequency of occurrence of physiologic races of *Puccinia coronata* Corda f. sp. *avenae* Erikss., in Canada, 1952 to 1961, 481.
Frankton, C. See Moore, R. J., 1553.
Frankton, C. and **Moore, R. J.** Cytotaxonomy of *Cirsium muticum*, *Cirsium discolor*, and *Cirsium altissimum*, 73.
Fridriksson, S. and **Bolton, J. L.** Development of the embryo of *Medicago sativa* L. after normal fertilization and after pollination by other species of *Medicago*, 23.
Preliminary report on the culture of alfalfa embryos, 439.
Friend, D. J. C., Fisher, J. E., and **Helson, V. A.** The effect of light intensity and temperature on floral initiation and inflorescence development of Marquis wheat, 1663.
Fulton, R. W. See Willis, C. B., 557.
Funk, A. Studies in the genus *Caliciopsis*, 503.
Georgopoulos, S. G. Genetic markers and linkage relationships from tetrad data in *Hypomyces solani* f. *cucurbitae*, 649.
Ghosh, N. R. See Bidwell, R. G. S., 155, 209.
Godin, C. See Weinberger, P., 853.
Gordon, A. G. See Gorham, E., 371.
Gordon, A. G. and **Gorham, E.** Ecological aspects of air pollution from an iron-sintering plant at Wawa, Ontario, 1063.
Gorham, E. A comparison of natural and fallout radioactivity in Ontario soils under pine, 1309.
See also Gordon, A. G., 1063.
Gorham, E. and **Gordon, A. G.** Some effects of smelter pollution upon aquatic vegetation near Sudbury, Ontario, 371.
Grover, R. K. and **Karvé, A. D.** Induction by light of sporulation in *Pestalotia theae* Sawada, 569.
Groves, J. W. See Hennebert, G. L., 341.
Hagborg, W. A. F., Chopra, N. M., and **Chelack, W. S.** Isolation from whey of inhibitors of the barley stripe mosaic virus, 1.
Hayman, D. S. *Rosellinia limoniispora*: the effect of biotin and thiamin and various sugar sources upon perithecial production in pure culture, 1649.
Hellebust, J. A. and **Bidwell, R. G. S.** Protein turnover in wheat and snapdragon leaves. Preliminary investigations, 969.
Sources of carbon for the synthesis of protein amino acids in attached photosynthesizing wheat leaves, 985.
Helson, V. A. See Friend, D. J. C., 1663.
Hennebert, G. L. Un hyphomycète nouveau *Arachnophora fagicola* gen. nov. spec. nov., 1165.
See also Hughes, S. J., 773.

Hennebert, G. L. and **Groves, J. W.** Three new species of *Botryotinia* on Ranunculaceae, 341.
Henssen, A. The North American species of *Massalongia* and generic relationships, 1331.
Study of the genus *Koerberia*, 1347.
A study of the genus *Vestergrenopsis*, 1359.
The North American species of *Placynthium*, 1687.
Hopkins, J. C. Atropellis canker of lodgepole pine: etiology, symptoms, and canker development rates, 1535.
Hughes, S. J. and **Hennebert, G. L.** Microfungi. X. *Oedemium*, *Dimera*, *Diplosporium*, *Gongylocladium*, and *Cladotrichum*, 773.
Hughes, S. J. and **Kendrick, W. B.** Microfungi. IX. *Menispora* Persoon, 693.
Jackson, H. O. See Weaver, G. M., 1405.
Kapp, R. O. See King, J. E., 243.
Karvé, A. D. See Grover, R. K., 569.
Kawano, S. Cytogeography and evolution of the *Deschampsia caespitosa* complex, 719.
Kendrick, W. The *Leptographium* complex. *Penicillium repens* C. & E., 573.
The *Leptographium* complex. Two new species of *Phialocephala*, 1015.
See also Hughes, S. J., 693.
Kerr, E. A. Inheritance of crinkle, variegation, and albinism in sweet cherry, 1395.
King, J. E. and **Kapp, R. O.** Modern pollen rain studies in Eastern Ontario, 243.
King, N. J. and **Bayley, S. T.** *With an appendix by N. J. King.* A chemical study of the cell walls of Jerusalem artichoke tuber tissue under different growth conditions, 1141.
Koch, L. W. See Patrick, Z. A., 747.
Koshimizu, K., Spencer, E. Y., and **Stoessl, A.** The antifungal factor in barley, 744.
Koyama, T. The genus *Scirpus* Linn. Critical species of the section Pterolepis, 1107.
Krotkov, G. See Trip, P., 1005.
Kuehn, H. H. See Orr, G. F., 1439, 1457.
Kuijt, J. On the ecology and parasitism of the Costa Rican tree mistletoe, *Gaiadendron punctatum* (Ruiz & Pavon) G. Don., 927.
Kuntz, J. E. See Lortie, M., 1203.
Larson, R. H. See Willis, C. B., 557.
LeBlanc, F. Quelques sociétés ou unions d'épiphytes du sud du Québec, 591.
The life-forms of the flora of Mount Yamaska, Rouville County, Quebec, 1425.
Lee, P. E. The extraction of wheat striate mosaic virus from diseased wheat plants, 1617.
Lee, P. E. and **Bell, W.** Some properties of wheat striate mosaic virus, 767.
Lee, P. E. and **Chiykowski, L. N.** Mechanical transmission of clover phyllody virus to its leafhopper vectors, 311.
Ling, R. S. See Taper, C. D., 1601.
Loman, A. A. See Robinson-Jeffrey, R. C., 1371.
Lortie, M. and **Kuntz, J. E.** Ascospore discharge and conidium release by *Nectria galligena* Bres. under field and laboratory conditions, 1203.
Loughheed, T. C. Studies on the morphology of synnemata of *Hirsutella gigantea* Petch, 947.
Morphological changes induced in *Hirsutella gigantea* Petch by ethylenediaminetetraacetate, 1155.
Luck-Allen, E. R. The genus *Basidiodendron*, 1025.
Macdowall, F. D. H. Effects of nonionic surfactants on tobacco roots, 1281.
Midday closure of stomata in aging tobacco leaves, 1289.
McInnes, A. G. See Rast, D., 1681.
MacKinnon, J. P. The availability to aphids of virus in different parts of leaves, 1597.
McLachlan, J. Some effects of tris(hydroxymethyl)aminomethane on the growth of *Haematococcus pluvialis* Flotow, 35.
Maclachlan, S. and **Zalik, S.** Plastid structure, chlorophyll concentration, and free amino acid composition of a chlorophyll mutant of barley, 1053.
McMinn, R. G. Characteristics of Douglas-fir root systems, 105.
MacNeill, B. H. Specialized forms of the tobacco mosaic virus in tomatoes in the United Kingdom, 1603.
Martin, S. M. and **Adams, G. A.** Glycoside hydrolase activity in birch and maple xylem sap and xylem tissue, 1605.
Maycock, P. F. The phytosociology of the deciduous forests of extreme southern Ontario, 379.
Plant records of the Ungava Peninsula, new to Quebec, 1277.
See also Soper, J. H., 183.
Mead, H. W. Comparison of temperatures favoring growth of *Ascochyta imperfecta* Peck and development of spring black stem on alfalfa in Saskatchewan, 312.
Mehrotra, B. S. and **Baijal, U.** A new species of *Dimargaris* from India, 499.

Mellor, F. C. and **Stace-Smith, R.** Reaction of strawberry to a ringspot virus from raspberry, 865.
Moore, R. J. See Frankton, C., 73.
Moore, R. J. and **Frankton, C.** Cytotaxonomic notes on some *Cirsium* species of the western United States, 1553.
Morin, L. A. See Etheridge, D. E., 1532.
Mortimer, D. C. Evidence for a polymeric intermediate in cellulose biosynthesis, 995.
Moss, E. H. and **Pegg, G.** Noteworthy plant species and communities in westcentral Alberta, 1079.
Mukerji, K. G. See Rai, J. N., 327.
Müller, E. See Shoemaker, R. A., 1235.
Naguib, M. I. Effect of benzoic acid and its derivatives on plant metabolism. 6. Effect of chlorobenzoic acid derivatives on the carbohydrate metabolism of starved and sucrose-fed etiolated barley leaves, 939.
Neish, A. C. See Rast, D., 1681.
Nelson, C. D. See Trip, P., 1005.
Nielsen, J. Parasitically induced changes in keto-acids of *Brassica* spp., 314.
Trimethylammonium compounds in *Tilletia* spp., 335.
Nielsen, J. and **Rohringer, R.** Incorporation of cytidine-H^3 into the primary leaf of wheat following infection with *Puccinia recondita* Rob. ex Desm., 1501.
O'Neil, L. C. The suppression of growth rings in jack pine in relation to defoliation by the Swaine jack-pine sawfly, 227.
Orr, G. F., Kuehn, H. H., and **Plunkett, O. A.** A new genus of the Gymnoascaceae with swollen peridial septa, 1439.
The genus *Myxotrichum* Kunze, 1457.
Packer, J. G. The taxonomy of some North American species of *Chrysosplenium* L., section *Alternifolia* Franchet, 85.
Parmeter, J. R., Jr. See Whitney, H. S., 879.
Partanen, C. R. See Partanen, J. N., 1657.
Partanen, J. N. and **Partanen, C. R.** Observations on the culture of roots of the bracken fern, 1657.
Patrick, Z. A. and **Koch, L. W.** The adverse influence of phytotoxic substances from decomposing plant residues on resistance of tobacco to black root rot, 747.
Pawlowski, S. H. A method of obtaining genetically identical sunflower plants, 743.
Pegg, G. See Moss, E. H., 1079.
Perkins, H. J. and **Roberts, D. W. A.** On chlorophyll turnover in monocotyledons and dicotyledons, 221.
Peturson, B. See Fleischmann, G., 481.
Plunkett, O. A. See Orr, G. F., 1439, 1457.
Pogan, E. Taxonomical value of *Alisma triviale* Pursh and *Alisma subcordatum* Rafin., 1011.
Rai, J. N., Mukerji, K. G., and **Tewari, J. P.** *Tripterospora tetraspora* spec. nov., a new cleistothecial ascomycete, 327.
Rai, J. N. and **Tewari, J. P.** A new *Acremoniella* from Indian soils, 331.
Raju, M. V. S., Steeves, T. A., and **Coupland, R. T.** Developmental studies on *Euphorbia esula* L. Morphology of the root system, 579.
Rao, A. N. and **Shamanna, S.** Rudimentary aril in *Sanguinaria canadensis* L., 1529.
Rast, D., McInnes, A. G., and **Neish, A.C.** Synthesis of raffinose in spruce twigs, 1681.
Riley, C. G. See Zalasky, H., 459.
Roberts, D. W. A. See Perkins, H. J., 221.
Robinson-Jeffrey, R. C. and **Loman, A. A.** Fungi isolated in culture from red heartwood stain and advanced decay of lodgepole pine in Alberta, 1371.
Rohringer, R. See Nielsen, J., 1501.
Roskosky, F. G. See Trainor, F. R., 673.
Rowat, M. H. See Bier, J. E., 1585.
Runeckles, V. C. Formation of sugars from phenylpropanoid compounds in tobacco leaf disks, 823.
Samborski, D. J. A mutation in *Puccinia recondita* Rob. ex. Desm. f. sp. *tritici* to virulence on Transfer, Chinese Spring × *Aegilops umbellulata* Zhuk., 475.
See also Fleischmann, G., 481.
Sandhu, D. K. and **Sandhu, R. S.** A new species of *Penicillium* isolated from sputum, 1273.
Sandhu, R. S. See Sandhu, D. K., 1273.
Sanwal, B. D. and **Waygood, E. R.** Glycolic acid oxidase and fusariose wilt of tomatoes, 55.
Scotter, G. W. Growth rates of *Cladonia alpestris*, *C. mitis*, and *C. rangiferina* in the Taltson River region, N.W.T., 1199.
Seaman, W. L. See Wallen, V. R., 13.
Shamanna, S. See Rao, A. N., 1529.

Shoemaker, R. A. Generic correlations and concepts: *Griphosphaerioma* and *Labridella*, 1419.
Shoemaker, R. A. and **Müller, E.** Generic correlations and concepts: *Broomella* and *Pestalotia*, 1235.
Sifton, H. B. On the hairs and cuticle of Labrador tea leaves. A developmental study, 199.
Siminovitch, D. Evidence from increase in ribonucleic acid and protein synthesis in autumn for increase in protoplasm during the frost-hardening of black locust bark cells, 1301.
Sirois, J. C. New evidence for the presence of indoleacetic acid in tobacco, 681.
Slykhuis, J. T. Vector and host relations of North American wheat striate mosaic virus, 1171.
Smillie, R. M. Formation and function of soluble proteins in chloroplasts, 123.
Smith, J. E. and **Waygood, E. R.** Enzyme–coenzyme relationships in glutamic acid metabolism of rust-infected sunflower cotyledons, 41.
Soper, J. H. and **Maycock, P. F.** A community of arctic–alpine plants on the east shore of Lake Superior, 183.
Soper, R. S. *Massospora levispora*, a new species of fungus pathogenic to the cicada, *Okanagana rimosa*, 875.
Spencer, E. Y. See Koshimizu, K., 744.
Stace-Smith, R. See Mellor, F. C., 865.
Steeves, T. A. See Caponetti, J. D., 545; Raju, M. V. S., 579.
Stein, J. R. A *Chromulina* (Chrysophyceae) from snow, 1367.
Stoessel, A. See Koshimizu, K., 744.
Stover, R. H. Leaf spot of bananas caused by *Mycosphaerella musicola*: associated ascomycetous fungi, 1481.
Sexuality and heterothallism in *Mycosphaerella musicola*, 1531.
Struik, G. J. See Bray, J. R., 1245.
Talbot, G. and **Vining, L. C.** Pigments and other extractives from carpophores of *Amanita muscaria*, 639.
Taper, C. D. See Whetter, J. M., 175.
Taper, C. D. and **Ling, R. S.** Electrical resistance of bark and wood of apple shoots, 1601.
Tewari, J. P. See Rai, J. N., 327, 331.
Tinline, R. D. *Cochliobolus sativus*. VII. Nutritional control of the pathogenicity of some auxotrophs to wheat seedlings, 489.
Trainor, F. R. The occurrence of a *Dactylococcus*-like stage in an axenic culture of a *Scenedesmus*, 967.
Trainor, F. R. and **Roskosky, F. G.** The effect of a temperature shift on mating in *Chlamydomonas eugametos*, 673.
Trip, P., Krotkov, G., and **Nelson, C. D.** Biosynthesis of mannitol-C^{14} from $C^{14}O_2$ by detached leaves of white ash and lilac, 1005.
Vanden Born, W. H. Histochemical studies of enzyme distribution in shoot tips of white spruce (*Picea glauca* (Moench) Voss), 1509.
van der Westhuizen, G. C. A. The cultural characters, structure of the fruit body, and type of interfertility of *Cerrena unicolor* (Bull. ex Fr.) Murr., 1487.
Vining, L. C. See Talbot, G., 639.
Wallen, V. R. and **Seaman, W. L.** Seed infection of soybean by *Diaporthe phaseolorum* and its influence on host development, 13.
Waygood, E. R. See Sanwal, B. D., 55; Smith, J. E., 41.
Weaver, G. M. and **Jackson, H. O.** Genetic differences in leaf abscission and the activity of naturally occurring growth regulators in peach, 1405.
Weinberger, P. and **Godin, C.** Vernalization of *Triticum vulgare* (var. Rideau). Morphological studies, 853.
Whetter, J. M. and **Taper, C. D.** Note on seasonal occurrence of sorbitol (D-glucitol) in buds and leaves of *Malus*, 175.
Whisler, H. C. Observations on some new and unusual enterophilous phycomycetes, 887.
Whitney, H. S. and **Parmeter, J. R., Jr.** Synthesis of heterokaryons in *Rhizoctonia solani* Kühn, 879.
Willis, C. B., Larson, R. H., and **Fulton, R. W.** The increase in concentration of two strains of potato virus X in floating leaf discs, 557.
Wilton, A. C. Vivipary in *Bromus pumpellianus* Scribn., 1645.
Wood, F. A. See Wood, G. W., 1675.
Wood, G. W. and **Wood, F. A.** Nectar production and its relation to fruitset in the lowbush blueberry, 1675.
Yates, A. R. and **Ferguson, W. E.** Observations on *Byssochlamys nivea* isolated from cucumber brine, 1599.
Zalasky, H. and **Riley, C. G.** Infection tests with two caulicolous rusts of jack pine in Saskatchewan, 459.
Zalik, S. See Maclachlan, S., 1053.